



South Aluminum Corporation (SALCO)
Bid Invitation

Date: July 22, 2026

No.: SAL/LINING/1/ JULY/2026

Subject: Procurement of Carbon Blocks, Graphite Blocks, Side Paste and Cathodic Paste

South Aluminum Corporation hereby invites you to bid for supply of following products based on the below terms and conditions:

Description and Quantity of Goods:

Cathodic Paste: 300 MT ($\pm 5\%$)

Side Paste: 200 MT ($\pm 5\%$)

Short Side Carbon Block N1: 1,500 Pcs ($\pm 5\%$)

Long Side Carbon Block N1: 9,000 Pcs ($\pm 5\%$)

Graphite Side Block N1: 400 Pcs ($\pm 5\%$)

Graphite Side Block N2: 400 Pcs ($\pm 5\%$)

Graphite Side Block N3: 400 Pcs ($\pm 5\%$)

Delivery term: **CFR** any safe port of Iran or **CPT** any safe railway or land border of Iran by SALCO's confirmation, (As per Incoterms 2010).

Note 1: The port/border should be confirmed by SALCO before vessel/carrier booking procedure due to situation of war and SALCO may change the port/border to one of the other Iranian port/border which operation of discharge and transfer to SALCO can be conducted.

Note 2: Tenderer should give the offer bringing into consideration the current constraints of cease fire, war situation and Strait of Hormuz closure. Any excuse and force majeure claim will not at all be accepted by SALCO, so in case of not delivering cargo in the proposed time, SALCO will be entitled to remove that Tenderer from SALCO's Approved Vendor List and will confiscate the guarantee amount immediately.

Note 3: SALCO can accept or not accept one port or border due to transit rules and that custom's rules.



South Aluminum Corporation (SALCO) Bid Invitation

Delivery time: All goods should be shipped maximum by the mid of September 2026 (SALCO can modify the dates before signing contract).

Note 4: Shipping date should be specified and will be one of the indexes to choose winner.

Origin: Any country from which Tenderers / Suppliers can supply lining materials according to the specifications mentioned in the Annex II of this tender documents.

Payment term: Cash payment, SALCO will pay to nominated bank account by Tenderer in case the money can be transferred to that bank account through Iranian bank channel. Otherwise, Tenderer should provide another account. Cash payment will start 3 working days after the original BL or telex release of BL under the name of SALCO and also original CI, PL and CO, just in case cargo has been discharged at the port of destination (in CFR term) or any mutually agreed border (in CPT term).

Note 5: Cash payment can be in USD, AED and/or other foreign currencies, at SALCO's choice. The base of exchange rates shall be XE.COM Websites' exchange rate at the date of payment.

Note 6: SALCO can also choose a barter method for payment. In this case SALCO will barter with Aluminum Ingot (P1015, P1020 or P610, P0507 grade in 50 or 1000 lb type according to SALCO's level of inventory) in which SALCO can start delivery 3 working days after receiving surrendered BL under the name of SALCO and also original CI, PL and CO just in case cargo has been discharged at the port of destination (in CFR term) or any mutually agreed border (in CPT term), and total Aluminum Ingots will be delivered during at least 1 month after all mentioned prerequisites occur as follows:

Aluminum Ingots Delivery Term: FCA Lamerd, Special Economic Zone, Fars Province, Iran.

Aluminum Ingot Unit Price: LME Official Cash Settlement Price (USD) plus 40 USD as premium per each MT (In case of delivering Aluminum Ingot with higher grade (P0610, P0507), 45 USD per MT will be added to the flat price of Aluminum Ingot).

Quotation Period (QP) of Aluminum Ingot: The average of LME Official Aluminum Cash Settlement price plus 40 USD as premium or plus 45 USD (for P610 or P0507) as premium which the said QP is 5 days (LME



South Aluminum Corporation (SALCO) Bid Invitation

Price included days) after the date of bill of lading of the first truck (loaded with Aluminum Ingot from Lamerd Special Economic Zone) for each Aluminum Ingot sales order of SALCO (Havaleh).

Other Conditions:

Note 7: For further information on submitting an offer, please study Annex I & II.

- Annex I. General Tender Information
- Annex II. Packaging, Specifications and Technical Maps of Carbon Blocks, Graphite Blocks, Side Paste and Cathodic Paste

Note 8: All interested bidders may obtain further information either by contacting the following email address or by phone at the following number:

Email: mirzanezhad@salcocomplex.com

Tel : +98 21 5374 5321

ANNEX I: General Tender Information

Validity: All offers should be valid at least for 30 days after the deadline of the Tender.

Deadline: All offers should reach to SALCO's Raw Material Purchasing Department at: No.35, 13th St., Seyyed Jamalluddin Asadabadi Ave, Tehran-Iran, Postal code: 1433673981, in a sealed Envelope **no later than COB of August 26, 2026.**

Note 9: All received offers by email or fax will not be considered.

Note 10: This Tender will not be extended unless in special cases with the discretion of SALCO through a further notice given by SALCO. In case of extension of the Tender, SALCO will announce it via its official website at www.salcocomplex.com.

Note 11: All sealed envelopes should be addressed by below information:

1. Name of Tenderer
2. Number of Tender
3. Stamp of Company
4. Specified Envelop A, B, and C



South Aluminum Corporation (SALCO) Bid Invitation

Currency: The requested currency is USD.

Offer Terms: Your offer should consist of following information (Signed and Stamped in a Sealed envelope):

Envelope "A" (Guarantee):

The Tenderers who have representative office in Iran or originally Iranian companies should provide SALCO with a guarantee issued by an Iranian bank for **76,500,000,000** Rials and put the original bank guarantee in envelope A. If the company cannot provide the guarantee itself or do not have representative office in Iran, then a third-party company should provide this guarantee instead.

Note 12: There should be a hard copy of a letter (signed and stamped on letter head) inside envelope A which addresses the representative company as guarantee provider of Tenderer officially, Otherwise the envelope C will not be opened.

- The guarantee also can be provided by bidder, equal the amount of **40,000** USD (or AED currency with XE.COM exchange rate at the date of payment) through bank payment to nominated bank account by SALCO.

Note 13: Please note that the bid guarantee is fixed as above-mentioned amounts and cannot be changed to offered volume.

Note 14: In case any bidder wants to pay guarantee by this method, an official email should be sent to SALCO (mentioned email address) to get the bank account information from SALCO at least 5 Iranian working days prior to payment.

Note 15: Note that the transfer cost of this payment in both payment to SALCO nominated account and returning back to Tenderers nominated account will be deducted from the paid amount and as whole procedure will be conducted through banks exchange services, this fee ratio is not open to objection by Tenderer.

Note 16: The payment should be made by a company/corporation. It cannot be made by an individual.

Note 17: Any account receivable from SALCO in the exact date of COB of **August 01, 2026** also can be used as guarantee and will freeze in SALCO's account, also any released BLs under the name of SALCO



South Aluminum Corporation (SALCO) Bid Invitation

with the value of **40,000** USD for cargo's which are not arrived to Iranian ports will be considered as guarantee of Tender.

Note 18: Above said collaterals will be returned to participant's right after winners of the bid sign their contract, but the companies who win the bid should prepare guarantee of fulfillment of obligations of the contract and then their collaterals can be returned simultaneously once receiving guarantee of fulfillment of obligations of the contract. This guarantee can be returned with the decision of SALCO partially according to percentage of contract which is completed.

Envelope "B" (Qualification):

Envelope B should show relevant expertise, capability, knowledge and experience of Tenderer in supply/production of Raw Materials internationally, including the detailed information and resume of Tenderer/Supplier (the relevant reference list and catalogue of Tenderer/Supplier should be attached to your offer) as well as the precise specification of lining materials. **Please note that in case CV of Tenderer/Supplier is not accepted by SALCO, envelope C will not get opened.**

Note 19: Also, Tenderer should print out the technical spec of Annex II of this Tender document in envelope B, signed and stamped. If this will not be done by Tenderer, the envelopes will be considered as non-effective documents by SALCO and Tenderer will be disqualified.

Note 20: Technical qualification of all tenderers including their work experiences and resume would be considered and evaluated by SALCO in this stage.

Note 21: SALCO has right to ask for all detailed information and contact information of manufacturer and in case the bidder denies to share the information, SALCO has right to eliminate bidder from Tender. SALCO has right to visit the manufacturing facility and SALCO has right to ask Tenderer a letter from manufacturer about the offer which is given to them as a proof of source of the lining materials.

Note 22: If the price offer provided by the Tenderer at this stage, Tenderer will be abandoned and from the bidding process.



South Aluminum Corporation (SALCO) Bid Invitation

Envelope "C" (Commercial Offer):

Envelope C shall contain all pages of this Tender document. Tenderers should print out all pages of this Tender document and put them in Envelope C, signed and stamped, **as well as offering the price of lining materials inside Table NO.1**. If this will not be done by Tenderer, the envelopes will be considered as non-effective documents by SALCO.

Additional Information:

Note 23: Note that the inspection will be conducted at the port of loading before shipment or in the factory (in origin country) at SALCO's choice and the Tenderer must give possibility for SALCO's nominated inspector to make inspection inside factory as well as port of loading, also SALCO's inspector should have right to take sample from manufacturer's production line to assess the product's quality. Pre-shipment inspection will be done by SALCO's nominated inspector and Supplier should make full cooperation with the SALCO's nominated inspector.

Then after getting confirmation on the mentioned inspection document from SALCO, the shipment will be allowed, also SALCO will carry out another inspection at the port of destination by the third-party inspection company. The reference to accept the cargo is the approval of Q&C Department of SALCO according to the inspection which is conducted in port of destination and if the quality doesn't match spec in Annex II, SALCO can reject the cargo and the whole guarantee of contract will be seized and also demurrage and any other related costs and damages shall be paid/compensated by Tenderers.

Note 24: In case a company wins the Tender and refuses or fails to act according to its proposed offer and contractual obligations, the Tenderer will not be allowed to participate in all future tenders and SALCO will be entitled to remove that Tenderer from SALCO's Approved Vendor List and will confiscate the guarantee amount immediately. In this case, SALCO shall have the right to claim the related losses occurred by the said winner/supplier (like price increase which affects SALCO's supply chain for the occurred delay).



South Aluminum Corporation (SALCO) Bid Invitation

Note 25: This invitation for a Tender does not bind SALCO to purchase of such goods. SALCO reserves the right to cancel the above Tender without assign any reasons and without any intimation from the Tenderers.

Note 26: All Tender offers must be submitted in person to SALCO's Row Materials Purchasing Department in a closed and sealed envelope at the following address. Bidders shall get a delivery receipt from mentioned department for delivery of envelopes. Offers received through email or fax shall not be considered.

Address: No. 35, 13th St., Seyyed Jamalluddin Asadabadi Av., Tehran-Iran

Note 27: SALCO is permitted to set quantity between the top offers. Number of accepted offers will be decided by SALCO and delivery time will be decided by SALCO.

Note 28: Participation in this Tender constitutes acceptance of all above-mentioned terms and conditions.

Note 29: If within 14 days after sending official winner announcement email and contract award by SALCO, the winner of the Tender does not sign or cancel the contract or resist to accept contractual terms and conditions, SALCO has the right to disqualify that company and remove that winner from SALCO's Approved Vendor List and cancel the deal which can lead to award the contract to another Tenderers at SALCO's choice.

Note 30: The documents of delivered offers of the Tender will be destroyed after 30 days from the date of opening the offer envelopes.

Note 31: This Tender is being held in war situation and does not mean that all Tenderers after in peace situation can enter to SALCO's Approved Vendor List without winning the Tender in this phase.

South Aluminum Corporation (SALCO)
Bid Invitation

Table No.1:

Items	Quantity	UOM	Unit Price (USD/MT)	Total Price (USD)	Term and Port/ Border of Discharge	Delivery Time (Months)
Cathodic Paste	300	MT			CPT border	
Side Paste	200	MT				
Short Side Carbon Block N1	1,500	PCS				
Long Side Carbon Block N1	9,000	PCS				
Graphite Side Block N1	400	PCS				
Graphite Side Block N2	400	PCS				
Graphite Side Block N3	400	PCS				
Total Price (USD)						
Cathodic Paste	300	MT			CFR port	
Side Paste	200	MT				
Short Side Carbon Block N1	1,500	PCS				
Long Side Carbon Block N1	9,000	PCS				
Graphite Side Block N1	400	PCS				
Graphite Side Block N2	400	PCS				
Graphite Side Block N3	400	PCS				
Total Price (USD)						

Note 32: Tenderer should propose CFR and CPT price separately and in case with same incoterms in different borders proposed prices are not same, then give the prices separately for each border.

Note 33: Tenderer should propose ports for CFR term and borders for CPT term separately.

Note 34: According to the conditions of Iran, the final winner will be determined by SALCO after analysis of inbound transportation.



South Aluminum Corporation (SALCO)
Bid Invitation

ANNEX II: Packaging, Specifications and Technical Map of Carbon Blocks, Graphite Blocks, Cathodic Paste and Side Paste

Carbone Blocks and Graphite Blocks: Every 20 Pcs on the pallets which should be shrink wrapped inside container.

Cathodic Paste and Side Paste: In proper (two-layered) 1-MT jumbo bags which is wrapped with aluminum-plastic film and then should be packed by woven bags on the 1-MT pallets inside container (preferably using reusable or recyclable material so as not to adversely affect the shelf life) and should be restrained to prevent physical damage during transportation and storage.

Note 35: Shelf life of Pastes shall be greater than 12 months from the date of manufacture.


Note 36: SALCO will not accept any broken or damaged Carbone Blocks and Graphite Blocks and any torn jumbo bags of Pastes after opening the sealed containers in the SALCO's factory and damaged cargo will be rejected.

Note 37: Due to Iranian custom formalities, in case the cargo got rejected (the damaged or torn items), **maybe** none of them will be sent back to seller, but the value of the rejected items will be deducted from the payment amount.

Note 38: Packing method should be suitable for ocean transportation (for CFR term) and should be delivered free of moisture.

South Aluminum Corporation (SALCO)
Bid Invitation


Corner Carbon Block			
Property		Unit	Value
Bulk density		g/cm ³	≥1.56
True density		g/cm ³	≥1.91
Compressive strength		Mpa	≥32
Ash content		%	<8
Thermal expansion coefficient ×10 ⁻⁶ /°C(300°C)			≤4.2
Na expansion rate		%	≤1.0
Dimensional tolerance	Length	mm	±2.0
	Width	mm	±1.0
	Thickness	mm	±1.0
Note: 1- standard and grade: YS/T 623-2012, GS-C. 2- Inland road transportation: Transport by flatbed trailer with hinged side frame and weather protection. Blocks to be shrink wrapped on pallet. 3- To be supplied in pallets of 20 4- Sea transportation : Containerized blocks on pallet.			



South Aluminum Corporation (SALCO)

Bid Invitation


Corner Carbon Block			
Property		Unit	Value
Bulk density		g/cm ³	≥1.56
True density		g/cm ³	≥1.91
Compressive strength		Mpa	≥32
Ash content		%	<8
Thermal expansion coefficient × 10 ⁻⁶ /°C(300°C)			≤4.2
Na expansion rate		%	≤1.0
Dimensional tolerance	Length	mm	±2.0
	Width	mm	±1.0
	Thickness	mm	±1.0
Note: 1- standard and grade: YS/T 623-2012, GS-C. 2- Inland road transportation: Transport by flatbed trailer with hinged side frame and weather protection. Blocks to be shrink wrapped on pallet. 3- To be supplied in pallets of 20. 4- Sea transportation : Containerized blocks on pallet.			



South Aluminum Corporation (SALCO)

Bid Invitation


Long Side Carbon Block No.1			
Property		Unit	Value
Bulk density		g/cm ³	≥1.56
True density		g/cm ³	≥1.91
Compressive strength		Mpa	≥32
Ash content		%	<8
Thermal expansion coefficient ×10 ⁻⁶ /°C(300°C)			≤4.2
Na expansion rate		%	≤1.0
Specific resistance		μΩ·m	30~75
Dimensional tolerance	Length	mm	±1.5
	Width	mm	±1.0
	Thickness	mm	±1.0
Note: 1- standard and grade: YS/T 623-2012, GS-C. 2- Inland road transportation: Transport by flatbed trailer with hinged side frame and weather protection. Blocks to be shrink wrapped on pallet. 3- To be supplied in pallets of 20 4- Sea transportation : Containerized blocks on pallet.			



South Aluminum Corporation (SALCO)

Bid Invitation

Short Side Carbon Block No.1			
Property		Unit	Value
Bulk density		g/cm ³	≥1.56
True density		g/cm ³	≥1.91
Compressive strength		Mpa	≥32
Ash content		%	<8
Thermal expansion coefficient ×10 ⁻⁶ /°C(300°C)			≤4.2
Na expansion rate		%	≤1.0
Specific resistance		μΩ·m	30~75
Dimensional tolerance	Length	mm	±1.5
	Width	mm	±1.0
	Thickness	mm	±1.0
Note: 1- standard and grade: YS/T 623-2012, GS-C. 2- Inland road transportation: Transport by flatbed trailer with hinged side frame and weather protection. Blocks to be shrink wrapped on pallet. 3- To be supplied in pallets of 20 4- Sea transportation : Containerized blocks on pallet.			



South Aluminum Corporation (SALCO)
Bid Invitation

Physical&Chemical Properties of Cathode Paste

Item		GSLD-1	GSLD-2	Technical Specification
Resistivity ($\mu\Omega \cdot m$)		—	≤ 65	
Volatile (loss of weight due to baking) (%)		9-13	9-13	
Compressive strength (MPa)		≥ 16	≥ 18	
Apparent density (g/cm^3)		≥ 1.46	≥ 1.48	
True density (g/cm^3)		≥ 1.89	≥ 1.90	
Ash content (%)		≤ 5	≤ 4	
Expansion / shrinkage(%)	$\Delta L_A - \Delta L_B$	≤ 0.68	≤ 0.68	
	$\Delta L_A - \Delta L_C$	≤ 1.02	≤ 1.02	

South Aluminum Corporation (SALCO)
Bid Invitation

particle size distribution for paste:

size	Side paste and corner rammed paste GSLD-1	Collector bar paste GSLD-2
maximum particle size	8-10mm	3-5mm
5-10mm	10-20%	-
3-5mm	15-25	0-10
1-3mm	20-30	20-30
0.5-1mm	10-20	20-30
0.15-0.5mm	-	20-30
0.074- 0.5mm	15-25	10-20
-0.074mm	8-15	10-18